

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of Great Britain and may not meet the regulatory requirements in other countries.

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : TALIUS®  
Unique Formula Identifier (UFI) : T25C-J0YQ-H006-HHY3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide

#### 1.3 Details of the supplier of the safety data sheet

##### COMPANY IDENTIFICATION

##### Manufacturer/importer

Corteva Agriscience UK Ltd  
CPC2 CAPITAL PARK  
FULBOURN CAMBRIDGE - England - CB21 5XE  
UNITED KINGDOM

Customer Information Number : +44 1462 457272  
E-mail address : SDS@corteva.com

#### 1.4 Emergency telephone number

SGS +32 3 575 55 55 OR  
+44 161 88 41235

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Serious eye damage, Category 1 H318: Causes serious eye damage.

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms :

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H351 Suspected of causing cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Hazardous components which must be listed on the label:

proquinazid (ISO)  
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt  
Calcium dodecylbenzene sulfonate

### Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version 1.0      Revision Date: 14.11.2023      SDS Number: 800080000319      Date of last issue: -  
Date of first issue: 14.11.2023

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
proquinazid (ISO)	189278-12-4  616-211-00-1	Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 11 M-Factor (Chronic aquatic toxicity): 1010	20.5
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1335202-81-7 932-231-6 01-2119560592-37	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 3 - < 10
Calcium dodecylbenzene sulfonate	26264-06-2 247-557-8 01-2119560592-37	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
Ethylhexanol	104-76-7 203-234-3 01-2119487289-20	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 3

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For specialist advice physicians should contact the National Poisons Information Service: Tel. 111 for England and Wales and Tel. 08454 24 24 24 for Scotland.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention. Artificial respiration and/or oxygen may be necessary.
- In case of skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- If swallowed : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.
- 

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : Do not use direct water stream.  
High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire- : Exposure to combustion products may be a hazard to health.
-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

fighting : Vapours may form explosive mixtures with air.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Flash back possible over considerable distance.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.  
Combustion products may include and are not limited to:  
Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.

Further information : Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed.  
Do not use a solid water stream as it may scatter and spread fire.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

### 6.2 Environmental precautions

Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,  
Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.  
Keep in suitable, closed containers for disposal.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Non-sparking tools should be used.  
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
See Section 13, Disposal Considerations, for additional information.

### 6.4 Reference to other sections

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Local/Total ventilation : Use with local exhaust ventilation.  
Advice on safe handling : To avoid spills during handling keep bottle on a metal tray.  
Avoid formation of aerosol.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Do not breathe vapours/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.  
Avoid exposure - obtain special instructions before use.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not get on skin or clothing.  
Avoid inhalation of vapour or mist.  
Do not swallow.  
Do not get in eyes.  
Avoid contact with skin and eyes.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version 1.0      Revision Date: 14.11.2023      SDS Number: 800080000319      Date of last issue: -  
Date of first issue: 14.11.2023

Hygiene measures : Keep container tightly closed.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.  
: Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. Remove clothing/PPE immediately if material gets inside. For environmental protection remove and wash all contaminated protective equipment before re-use. Dispose of rinse water in accordance with local and national regulations.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. No smoking. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Strong oxidizing agents  
Explosives  
Gases

Packaging material : Unsuitable material: None known.

### 7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethylhexanol	104-76-7	Long-term exposure limit (8-hour TWA reference period)	1 ppm 5.4 mg/m3	GB EH40
		Limit Value - eight hours	1 ppm 5.4 mg/m3	2017/164/EU
	Further information: Indicative			
		8-hr TWA	2 ppm	Corteva OEL

#### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version 1.0      Revision Date: 14.11.2023      SDS Number: 800080000319      Date of last issue: -  
Date of first issue: 14.11.2023

Ethylhexanol	Workers	Inhalation	Long-term systemic effects	12.8 mg/m3
	Workers	Inhalation	Long-term local effects	53.2 mg/m3
	Workers	Inhalation	Acute local effects	53.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	23 mg/kg bw/day
	Workers	Inhalation	Acute local effects	106.4 mg/m3
	Consumers	Inhalation	Long-term systemic effects	2.3 mg/m3
	Consumers	Inhalation	Long-term local effects	26.6 mg/m3
	Consumers	Inhalation	Acute local effects	26.6 mg/m3
	Consumers	Skin contact	Long-term systemic effects	11.4 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1.1 mg/kg bw/day

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Ethylhexanol	Fresh water	0.017 mg/l
	Intermittent use/release	0.17 mg/l
	Marine water	0.002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.284 mg/kg dry weight (d.w.)
	Marine sediment	0.028 mg/kg dry weight (d.w.)
	Soil	0.047 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	55 mg/kg food

## 8.2 Exposure controls

### Engineering measures

Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection : Wear protective eyewear to prevent contact with this substance.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Skin and body protection	:	protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Personal protective equipment required for early entry: Coveralls Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils Shoes plus socks
Respiratory protection	:	Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.
Protective measures	:	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	brown
Odour	:	sweet, ester-like
Odour Threshold	:	not determined
pH	:	6.2 (20 °C) Concentration: 10 g/L
Melting point/range	:	Not applicable
Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	74 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	not auto-flammable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.9758

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	emulsifiable
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	3.79 mm <sup>2</sup> /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Self-ignition	:	285 °C
---------------	---	--------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.  
Not classified as a reactivity hazard.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.  
Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapours may form explosive mixture with air.
	:	Stable under recommended storage conditions.
	:	No hazards to be specially mentioned.
	:	Vapours may form explosive mixture with air.
	:	May form explosive dust-air mixture.

### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

### 10.5 Incompatible materials

Materials to avoid	:	Strong acids Strong bases
--------------------	---	------------------------------

### 10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

Decomposition products can include and are not limited to:  
Carbon oxides

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Acute toxicity

##### Components:

##### **proquinazid (ISO):**

- Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg  
Method: OECD Test Guideline 401
- LD50 (Rat, female): 4,846 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

- Acute oral toxicity : LD50 (Rat, female): 4,445 mg/kg
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Calcium dodecylbenzene sulfonate:**

- Acute oral toxicity : LD50 (Rat): > 1,000 mg/kg  
Method: Estimated.
- Acute inhalation toxicity : LC50 (Rat): > 2 mg/l  
Test atmosphere: dust/mist  
Method: Estimated.
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: Estimated.

##### **Ethylhexanol:**

- Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Target Organs: Central nervous system

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Acute inhalation toxicity : LC50 (Rat): 2.17 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Method: OECD Test Guideline 402

### Skin corrosion/irritation

#### Components:

##### **proquinazid (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Species : Rabbit  
Result : Skin irritation

##### **Calcium dodecylbenzene sulfonate:**

Species : Rabbit  
Result : Skin irritation

##### **Ethylhexanol:**

Species : Rabbit  
Result : Skin irritation

### Serious eye damage/eye irritation

#### Components:

##### **proquinazid (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Species : Rabbit  
Result : Corrosive

##### **Calcium dodecylbenzene sulfonate:**

Species : Rabbit  
Result : Corrosive

##### **Ethylhexanol:**

Species : Rabbit  
Result : Eye irritation

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### Respiratory or skin sensitisation

#### Components:

##### **proquinazid (ISO):**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitisation on laboratory animals.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

##### **Calcium dodecylbenzene sulfonate:**

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

##### **Ethylhexanol:**

Test Type	:	HRIPT (human repeat insult patch test)
Species	:	human
Assessment	:	Does not cause skin sensitisation.

### Germ cell mutagenicity

#### Components:

##### **proquinazid (ISO):**

Germ cell mutagenicity- Assessment	:	In vitro genetic toxicity studies were negative., In vivo tests did not show mutagenic effects
------------------------------------	---	--

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Germ cell mutagenicity- Assessment	:	In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.
------------------------------------	---	--

##### **Calcium dodecylbenzene sulfonate:**

Germ cell mutagenicity- Assessment	:	For similar material(s); In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.
------------------------------------	---	---

##### **Ethylhexanol:**

Germ cell mutagenicity- Assessment	:	In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.
------------------------------------	---	--

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### Carcinogenicity

#### Components:

##### **proquinazid (ISO):**

Carcinogenicity - Assessment : Has caused cancer in laboratory animals.

##### **Calcium dodecylbenzene sulfonate:**

Carcinogenicity - Assessment : For similar material(s);, Did not cause cancer in laboratory animals.

##### **Ethylhexanol:**

Carcinogenicity - Assessment : In laboratory animals, evidence of carcinogenic activity was observed., There is no evidence that these findings are relevant to humans.

### Reproductive toxicity

#### Components:

##### **proquinazid (ISO):**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects in laboratory animals.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction.  
Did not cause birth defects or any other fetal effects in laboratory animals.

##### **Calcium dodecylbenzene sulfonate:**

Reproductive toxicity - Assessment : For similar material(s);, In animal studies, did not interfere with reproduction.  
For this family of materials.;, Has been toxic to the fetus in laboratory animals at doses toxic to the mother.;, Did not cause birth defects in laboratory animals.

##### **Ethylhexanol:**

Reproductive toxicity - Assessment : Has caused birth defects in laboratory animals only at doses toxic to the mother.;, Has been toxic to the fetus in laboratory animals at doses toxic to the mother.;, These concentrations exceed relevant human dose levels.

### STOT - single exposure

#### Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version 1.0      Revision Date: 14.11.2023      SDS Number: 800080000319      Date of last issue: -  
Date of first issue: 14.11.2023

---

### Components:

#### **proquinazid (ISO):**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

#### **Calcium dodecylbenzene sulfonate:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

#### **Ethylhexanol:**

Exposure routes : Inhalation  
Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

### **Repeated dose toxicity**

### Components:

#### **proquinazid (ISO):**

Species : Rat  
Application Route : Diet  
Remarks : In animals, effects have been reported on the following organs:  
Liver effects  
Kidney effects  
Thyroid effects  
Abnormal serum enzyme levels  
Organ weight changes  
altered hematology

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

#### **Calcium dodecylbenzene sulfonate:**

Remarks : Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

#### **Ethylhexanol:**

Remarks : In animals, effects have been reported on the following organs:  
Blood.  
Kidney.  
Liver.  
Spleen.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version 1.0      Revision Date: 14.11.2023      SDS Number: 800080000319      Date of last issue: -  
Date of first issue: 14.11.2023

---

### Aspiration toxicity

#### Product:

Based on physical properties, not likely to be an aspiration hazard.

#### Components:

##### **proquinazid (ISO):**

Based on physical properties, not likely to be an aspiration hazard.

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Based on physical properties, not likely to be an aspiration hazard.

##### **Ethylhexanol:**

May be harmful if swallowed and enters airways.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 1.8 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.5 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to terrestrial organisms : oral LD50: > 9975 µg/b  
Exposure time: 48 h  
End point: mortality  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP: yes
- contact LD50: > 100 µg/b  
Exposure time: 48 h  
End point: mortality  
Species: Apis mellifera (bees)



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Method: OECD Test Guideline 214  
GLP: yes

LD50: > 2,250 mg/kg  
End point: Acute oral toxicity  
Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 2,000 mg/kg  
End point: Acute oral toxicity  
Species: *Anas platyrhynchos* (Mallard duck)

### Components:

#### **proquinazid (ISO):**

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.349 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.454 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.287 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
Method: OECD Test Guideline 202  
GLP: yes
- EC50 (*Americamysis bahia* (mysid shrimp)): 0.11 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: US EPA Test Guideline OPP 72-3  
GLP: yes
- Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 0.740 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- EC50 (*Lemna gibba* (duckweed)): > 0.2 mg/l  
End point: Frond  
Exposure time: 14 d  
Method: US EPA Test Guideline OPP 122-2 & 123-2
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC: 0.0030 mg/l  
Exposure time: 90 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Test Type: Early Life-Stage  
Method: OECD Test Guideline 210  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0018 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1,000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP:yes

Toxicity to terrestrial organisms : LD50: > 2,250 mg/kg  
Species: Colinus virginianus (Bobwhite quail)  
Method: US EPA Test Guideline OPP 71-1  
GLP:yes

LC50: > 5,620 mg/kg  
Exposure time: 5 d  
Species: Colinus virginianus (Bobwhite quail)  
Method: OECD Test Guideline 205  
GLP:yes

LC50: > 5,620 mg/kg  
Exposure time: 5 d  
Species: Anas platyrhynchos (Mallard duck)  
Method: OECD Test Guideline 205  
GLP:yes

oral LD50: > 0.125 mg/kg  
Exposure time: 72 h  
Species: Apis mellifera (bees)  
Method: OEPP/EPPO Test Guideline 170  
GLP:yes

contact LD50: > 0.197 mg/kg  
Exposure time: 72 h  
Species: Apis mellifera (bees)  
Method: OEPP/EPPO Test Guideline 170  
GLP:yes

### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l  
Exposure time: 96 h  
Test Type: static test

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Algae): 29 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to microorganisms : EC50 (Bacteria): 550 mg/l  
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.23 mg/l  
Exposure time: 72 d  
Species: Fish  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: flow-through test

### Calcium dodecylbenzene sulfonate:

Toxicity to fish : LC50 (Rainbow trout (Salmo gairdneri)): 3.2 - 5.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on information for a similar material:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.5 mg/l  
Exposure time: 48 h  
Test Type: Static  
Method: OECD Test Guideline 202  
Remarks: For similar material(s):

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapita): 65.4 mg/l  
Exposure time: 72 h  
Test Type: Static  
Method: OECD Test Guideline 201  
Remarks: For similar material(s):

NOEC (Pseudokirchneriella subcapita): 7.9 mg/l  
Exposure time: 72 h  
Test Type: Static  
Method: OECD Test Guideline 201  
Remarks: For similar material(s):

### Ethylhexanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 32 - 37 mg/l  
Exposure time: 96 h

LC50 (Fathead minnow (Pimephales promelas)): 28.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 35.2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202 or Equivalent

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 11.5 mg/l  
End point: Growth rate inhibition  
Exposure time: 72 h  
Method: OECD Test Guideline 201 or Equivalent

Toxicity to microorganisms : EC50 (Bacteria): 256 - 320 mg/l  
Exposure time: 16 h

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Not readily biodegradable.  
Estimation based on data obtained on active ingredient.

#### **Components:**

##### **proquinazid (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 1 %  
Exposure time: 28 d  
Remarks: Material is not readily biodegradable according to OECD/EEC guidelines.

Stability in water : Test Type: Photolysis  
Degradation half life (DT50): 0.03 d

##### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Pass

##### **Calcium dodecylbenzene sulfonate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 95 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E or Equivalent  
Remarks: 10-day Window: Pass

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### **Ethylhexanol:**

**Biodegradability** : Result: Readily biodegradable.  
Biodegradation: > 95 %  
Exposure time: 5 d  
Method: OECD Test Guideline 302B or Equivalent  
Remarks: 10-day Window: Not applicable

Biodegradation: 68 %  
Exposure time: 17 d  
Method: OECD Test Guideline 301B or Equivalent  
Remarks: 10-day Window: Pass

**Biochemical Oxygen Demand (BOD)** : 26 - 70 %  
Incubation time: 5 d

75 - 81 %  
Incubation time: 10 d

86 - 87 %  
Incubation time: 20 d

**Chemical Oxygen Demand (COD)** : 2.70 kg/kg

**ThOD** : 2.95 kg/kg

**Photodegradation** : Test Type: Half-life (indirect photolysis)  
Sensitiser: OH radicals  
Rate constant: 1.32E-11 cm<sup>3</sup>/s  
Method: Estimated.

### **12.3 Bioaccumulative potential**

#### **Product:**

**Bioaccumulation** : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Remarks: Does not bioaccumulate.  
Estimation based on data obtained on active ingredient.

#### **Components:**

##### **proquinazid (ISO):**

**Bioaccumulation** : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 821  
Method: OECD Test Guideline 305  
GLP: yes  
Remarks: The substance has a high potential of bioaccumulation.

**Partition coefficient: n-** : Remarks: No relevant data found.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

octanol/water

### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Bioaccumulation : Bioconcentration factor (BCF): 2 - 1,000

Partition coefficient: n-octanol/water : log Pow: 2.89  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

### **Calcium dodecylbenzene sulfonate:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 71  
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)  
Method: estimated  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

### **Ethylhexanol:**

Partition coefficient: n-octanol/water : log Pow: 3.1  
Method: Measured  
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

## 12.4 Mobility in soil

### Components:

#### **proquinazid (ISO):**

Distribution among environmental compartments : Koc: 821  
Remarks: The product is not expected to be mobile in soils.

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Distribution among environmental compartments : Remarks: No relevant data found.

#### **Ethylhexanol:**

Distribution among environmental compartments : Koc: 800  
Method: Estimated.  
Remarks: Potential for mobility in soil is low (Koc between 500 and 2000).

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### Components:

#### **proquinazid (ISO):**

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### **Calcium dodecylbenzene sulfonate:**

Assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

#### **Ethylhexanol:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 12.6 Other adverse effects

### Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Components:

#### **proquinazid (ISO):**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt:**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Calcium dodecylbenzene sulfonate:**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Ethylhexanol:**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

---

### SECTION 14: Transport information

#### 14.1 UN number

ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

#### 14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Proquinazid)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Proquinazid)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Proquinazid)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Proquinazid)

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
RID	: 9	
IMDG	: 9	

---



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---

**IATA** : 9

### 14.4 Packing group

#### ADR

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### RID

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

#### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : Stowage category A

#### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes(Proquinazid)

### 14.6 Special precautions for user

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS

Registration Number : MAPP 20360

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

## SECTION 16: Other information

### Full text of H-Statements

H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure  
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
Corteva OEL : Corteva Occupational Exposure Limit  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
2017/164/EU / TWA : Limit Value - eight hours  
Corteva OEL / TWA : 8-hr TWA  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)  
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; ECx - Concentration associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - not otherwise specified; NOEC - Non-Observed Effective Concentration; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; (Q)SAR - (Quantitative) Structure Activity Relationship; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SDS - Safety Data Sheet; UN - United Nations.

### Further information

Other information : Take notice of the directions of use on the label.

#### Classification of the mixture:

#### Classification procedure:

Eye Dam. 1	H318	Calculation method
Carc. 2	H351	Calculation method
Aquatic Chronic 1	H410	Calculation method

Product code: GF-4031

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / 6N

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## TALIUS®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	14.11.2023	800080000319	Date of first issue: 14.11.2023

---