



# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.  
Issue date: 4/8/2024 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : B-Nine SG  
Synonyms : Daminozide(850) SG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use  
Industrial/Professional use spec : Plant protection products  
Use of the substance/mixture : Plant growth regulator

##### 1.2.2. Uses advised against

Restrictions on use : No known evidence against using

#### 1.3. Details of the supplier of the safety data sheet

UPL Europe Ltd  
Engine Rooms (1st Floor) Birchwood Park  
Warrington – WA3 6YN  
United Kingdom  
T +44 1925 819999 - F +44 (0) 1925 817425  
[EUR-SDS.info@upl-ltd.com](mailto:EUR-SDS.info@upl-ltd.com)

#### 1.4. Emergency telephone number

Emergency number : Rest of the world (English): +44 1865 407333  
Europe (English): +44(0)1235 239670  
112 (European Emergency Number)

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Cardiff	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GB CLP (SI 2019:720 as amended)

Carcinogenicity, Category 2 H351  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. To our knowledge, the product does not present any particular risk, under normal conditions of use.

#### 2.2. Label elements

##### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



GHS08

Signal word (GB CLP)

: Warning

Hazard statements (GB CLP)

: H351 - Suspected of causing cancer.

Precautionary statements (GB CLP)

: P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective clothing, eye protection, face protection, protective gloves.  
P308+P313 - IF exposed or concerned: Get medical advice or attention.  
P405 - Store locked up.  
P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.

#### 2.3. Other hazards

Other hazards which do not result in classification : This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Potential dust explosion hazard from airborne release.

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with UK REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Daminozide; N-dimethylaminosuccinamic acid	CAS-No.: 1596-84-5 EC-No.: 216-485-9 UK Index-No.: 607-757-00-1	85	Carc. 2, H351
Magnesium sulfate	CAS-No.: 7487-88-9 EC-No.: 231-298-2	6.8	Not classified
Magnesium carbonate	CAS-No.: 546-93-0 EC-No.: 208-915-9	4.3	Not classified

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Fatty alcohol alkoxylate	CAS-No.: 120313-48-6	2.9	Not classified

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Remove the victim away from contaminated area. Remove immediately contaminated clothing. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Keep body temperature. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical advice.
- First-aid measures after inhalation : Remove victim to fresh air. Obtain medical attention if breathing difficulty persists.
- First-aid measures after skin contact : Wash off with soap and plenty of water.
- First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult an eye specialist.
- First-aid measures after ingestion : Do not induce vomiting. Give nothing to eat or drink. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : liver. disorders.

#### 4.3. Indication of any immediate medical attention and special treatment needed

The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>). Dry powder. Foam. Water spray.

#### 5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Burning produces stinking and toxic fumes. Sulphur oxides (SO<sub>x</sub>). Carbon dioxide (CO<sub>2</sub>).

#### 5.3. Advice for firefighters

- Firefighting instructions : Isolate from fire, if possible, without unnecessary risk.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
- Other information : Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Do not breathe dust. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene.

##### 6.1.2. For emergency responders

- Protective equipment : Concerning personal protective equipment to use, see section 8.

#### 6.2. Environmental precautions

Do not allow to enter drains or water courses.

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or shovel.  
Other information : Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Concerning disposal elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Do not breathe dust. Avoid creating or spreading dust.  
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Always wash hands after handling the product. Take off contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Avoid dust formation.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Magnesium carbonate (546-93-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Magnesite
WEL TWA (OEL TWA)	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**  
Observe the label precautions.

#### 8.2.2. Personal protection equipment

##### 8.2.2.1. Eye and face protection

**Eye protection - Report preview:**

Safety glasses with side shields. (ISO 16321-1)

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### 8.2.2.2. Skin protection

#### Skin and body protection - Report preview:

Impervious clothing. Wear standard coveralls and Category 3 Type 5 suit (EN 13688 + EN 13982-1:2004).

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

#### Hand protection - Report preview:

rubber or plastic gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0.4	3 (> 0.65)	EN ISO 374

### 8.2.2.3. Respiratory protection

#### Respiratory protection - Report preview:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Respiratory protection			
Device	Filter type	Condition	Standard
Disposable half mask	ABEK-P3	Dust protection	EN 140, EN 149

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Prevent entry to sewers and public waters.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: white.
Appearance	: Granulate.
Odour	: odourless.
Odour threshold	: Not applicable
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not applicable
Flammability	: Not highly flammable, Test method EU A.10
Explosive properties	: Not explosive. Test method EU A.14.
Explosive limits	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: No self-ignition up to the melting point.
Decomposition temperature	: Not available
pH	: 4 (10 g/l)
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Solubility	: Water: completely soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.4 – 0.5

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Relative vapour density at 20°C : Not applicable  
Particle size : Not available

Daminozide (1596-84-5)	
Boiling point	Decomposes before boiling
Flash point	Not applicable
Auto-ignition temperature	263 °C
Vapour pressure	0.015 mPa (25 °C, Test method EU A.4)

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Oxidising agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

B-Nine SG	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 4 mg/l/4h (maximum attainable concentration - zero mortality)

### Magnesium sulfate (7487-88-9)

LD50 oral rat : > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Magnesium sulfate (7487-88-9)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:

Daminozide (1596-84-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg (OECD 402 method)
LC50 Inhalation - Rat (Dust/Mist)	> 2.1 mg/l/4h (maximum attainable concentration - zero mortality)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 4 (10 g/l)

Daminozide (1596-84-5)	
pH	3.8
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 4 (10 g/l)

Daminozide (1596-84-5)	
pH	3.8
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Suspected of causing cancer.

Daminozide (1596-84-5)	
NOAEL, oral, rat	500 mg/kg bw/day (2 years)
NOAEL, oral, mouse	45 mg/kg bw/day (2 years, (OECD 451 method))
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

Daminozide (1596-84-5)	
Reproductive toxicity	:
NOAEL, oral, rat, Toxicity - Parent	500 mg/kg bw/day ((OECD 416 method))
NOAEL, oral, rat, Fertility	500 mg/kg bw/day ((OECD 416 method))
NOAEL, oral, rat, Developmental toxicity	500 mg/kg bw/day ((OECD 416 method))
Developmental toxicity/teratogenicity	:
NOAEL, Maternal toxicity, oral, rat	1800 mg/kg bw/day
NOAEL, Developmental toxicity, oral, rat	390 mg/kg bw/day
NOAEL, Maternal toxicity, oral, rabbit	300 mg/kg bw/day ((OECD 414 method))
NOAEL, Developmental toxicity, oral, rabbit	300 mg/kg bw/day ((OECD 414 method))
NOAEL, Maternal toxicity, oral, rabbit	250 mg/kg bw/day ((OECD 414 method))
NOAEL, Developmental toxicity, oral, rabbit	500 mg/kg bw/day ((OECD 414 method))
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

Daminozide (1596-84-5)	
NOAEL, oral, rat	> 2160 mg/kg bw/day (90 days)
NOAEL, oral, Dog	80.5 mg/kg (1 years, (OECD 452 method))
NOAEL, Inhalation, rat	2.0 mg/l (28 days)
NOAEL, Inhalation, rat	< 0.79 mg/l (5 days, (OECD 412 method))
NOAEL, Dermal, rat	2000 mg/kg (28 days, (OECD 410 method))

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### Daminozide (1596-84-5)

NOAEL, oral, rat	1000 mg/kg bw/day (90 days, (OECD 408 method))
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

### B-Nine SG

Viscosity, kinematic	Not applicable
----------------------	----------------

### Daminozide (1596-84-5)

Viscosity, kinematic	Not applicable
----------------------	----------------

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met) (acute)

Hazardous to the aquatic environment, long-term : Not classified (Based on available data, the classification criteria are not met) (chronic)

### B-Nine SG

LC50 - Fish	36.1 mg/l/96h (Oncorhynchus mykiss (Rainbow trout))
EC50 - Crustacea	76.5 mg/l/48h (Daphnia magna)
EyC50, algae	28.3 mg/l/72h (Pseudokirchneriella subcapitata)
ErC50, algae	65.4 mg/l/72h (Pseudokirchneriella subcapitata)
EC50, plants	88.2 mg/l (7 days, Lemna gibba)

### Magnesium sulfate (7487-88-9)

LC50 - Fish	680 mg/l Test organisms (species): Pimephales promelas
-------------	--

### Daminozide (1596-84-5)

LC50 - Fish	625 mg/l/96h (Oncorhynchus mykiss (Rainbow trout))
EC50 - Crustacea	75.5 mg/l/48h (Daphnia magna)
ErC50 algae	> 100 mg/l/72h (Pseudokirchneriella subcapitata, (OECD 201 method))
ErC50 other aquatic plants	> 100 mg/l/72h (Anabaena flos-aquae, (OECD 201 method))
NOEC chronic fish	10 mg/l (33 days, Pimephales promelas)
NOEC chronic crustacea	≥ 100 mg/l (21 days, (OECD 211 method), Daphnia magna)
EC50, aquatic algae	180 mg/l/72h (Chlorella vulgaris)
IC50, plants	> 127 mg/l (7 days, (OECD 221 method), Lemna gibba)

## 12.2. Persistence and degradability

### B-Nine SG

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### Magnesium carbonate (546-93-0)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Magnesium sulfate (7487-88-9)	
Persistence and degradability	Not rapidly degradable
Fatty alcohol alkoxylate (120313-48-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	96 % (OECD 301A, 28d)
Daminozide (1596-84-5)	
Persistence and degradability	Readily biodegradable.

### 12.3. Bioaccumulative potential

B-Nine SG	
Partition coefficient n-octanol/water (Log Pow)	Not applicable
Daminozide (1596-84-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.53 (20 °C, pH 3)

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Emergency Ordinance 92/2021 on the waste regime: - Government Decision no. 856 of 2002 regarding the records of the waste management and for the approval of the list containing the waste, including the hazardous waste. - Law no. 249 of 2015 regarding packaging and packaging waste. Government Decision no. 856 of 2002 regarding the records of the waste management and for the approval of the list containing the waste, including the hazardous waste. Law no. 249 of 2015 regarding packaging and packaging waste.
Waste treatment methods	: Dispose of in accordance with relevant local regulations.
Product/Packaging disposal recommendations	: Empty remaining contents. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ADR	IMDG	IATA	ADN	RID
<b>14.2. UN proper shipping name</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>Transport document description</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : Not applicable

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# B-Nine SG

## Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. United Kingdom

#### UK REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes (UK):

see section(s) : 4; 5.

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
LD50	Median lethal dose
LC50	Median lethal concentration
EC50	Median effective concentration
PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative

### Full text of H- and EUH-statements:

Carc. 2	Carcinogenicity, Category 2
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H351	Suspected of causing cancer.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Carc. 2	H351	Calculation method
---------	------	--------------------

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.